The advanced hybrid desktop telephone for VoIP, ISDN or land-line networks.

DX800A All-in-one

The Gigaset DX800A all-in-one is the professional multiline desktop telephone for small businesses and home offices. From its comfortable modern design to the large 3.5 inch TFT colour display, this corded telephone has a professional look and feel, while offering the business functionality that you would expect.













ONLINE INFO







3 ANSWERING

HANDS-FREE

1,000 CONTACTS IN TELEPHONE BOOK

Function overview:

- Multiline desktop telephone: land-line PSTN or ISDN¹ and VoIP
- 3.5"TFT colour display with intuitive user interface
- Up to 4 calls simultaneously²
- Expandable with multiple handsets (max. of 6)
- Excellent HD sound quality for internal and external calls
- 3 answering machines with excellent recording time, 55 minutes in total
- Link2Mobile via Bluetooth for incoming and outgoing calls for
- Large telephone book capable of storing a maximum of 1000 **vCards**
- Professional management and search function for contacts: access to network-based private telephone book, synchronisation with Microsoft Outlook³ using Gigaset QuickSync software, access to online telephone books and business directories⁴, automatic search function
- Supports e-mail notifications (subject, heading, time & date, start of the message) and information services (RSS feeds, various news topics, weather reports etc.)
- Energy-saving ECO functions

Professional management of contacts

The Gigaset DX800A allows you to manage your contacts in a professional manner. In addition to a telephone book capable of containing 1000 vCards, this multiline telephone also gives you access to your Outlook contacts³. If you are looking for information about other companies, then the Gigaset DX800A offers you access to online telephone books and business directories. The automatic search function makes searching for the desired information even easier.

Stay in touch

With three separate answering machines connected to the Gigaset DX800A, you get a combined recording time of 55 minutes and your calls will never be interrupted again. This dependable multiline desktop telephone will always let you know when there are new messages: either by means of a message on the colour display or via text message⁴. And something that is extremely useful for home offices: the answering machines allow you to record whole conversations.

Unbelievable freedom

You can connect up to 6 handsets to the Gigaset DX800A. Gigaset offers a very wide range of suitable handsets, giving you all the freedom you need when you make a call. The DX800A all-in-one has a number of lines, enabling your employees to conduct up to four outgoing calls simultaneously.

Link2Mobile

This allows you to integrate your mobile phone into the Gigaset network. You can answer every call received using any of the connected telephones and use Gigaset phones to make mobile calls. All lines are accessible via a single handset.

Fax connection

You can connect a fax machine to the analogue port of your desktop telephone. A separate fax number is therefore not necessary.



DX800A all-in-one

Professional solutions for small businesses and home offices

Technical specifications

Sound

- Broadband HD sound that complies with Cat-IQ 1.0
- Full Duplex speaker function with great sound quality (80 cm sound box in the base station), activated by the illuminated hands-free key, with 5 different volume settings
- Incoming call volume of corded telephone receiver can be adjusted to 3 different settings
- Headset can be connected via Bluetooth® or 2.5mm jack plug
- Ringtones and waiting music in HD quality
- Polyphonic and downloadable MP3 ringtones
- Mute key
- Compatible with hearing aids (HAC)

Display and user interface

- Illuminated 3.5"TFT colour display (7 lines), 320 x 240 pixel
- Night setting: display fitted with a timer, switches off automatically to save energy
- Various screensaver options: pictures, logos, slide shows, analogue/digital clocks and more
- Simple menu containing coloured icons and text in 20 languages for optimal ease of use

Repeater Repeater Repeater DX800A all in one DX800A all in one Computer Computer

ISDN/analog

Telephone book options

- Telephone book containing 1000 vCards
- vCard contents: first and last name, 3 telephone numbers, photo, e-mail and date of birth
- Add individual ringtones to VIP entries
- Quick search function: characters or complete text
- Prepared options with revise function
- Number memory of the last 20 telephone numbers
- CTI Interface with Outlook³
- Dial directly from Outlook contacts
- Automatic call-back function
- 6 configurable function keys
- Full intercom functionality
- Picture CLIP4 with location and time zone of caller
- Notification of up to 30 missed calls with CLIP⁴ and time of call
- Access to local network telephone books
- Synchronisation with Microsoft Outlook³ using Gigaset Quick-Sync software
- Ability to search in public online telephone books and business directories, automatic search function

- Hold setting, call redirect and call forwarding
- Telephone book can be exchanged between desktop telephone and connected handsets
- Hybrid telephone: up to 4 calls simultaneously² (1 analogue + 3 VoIP, 2 ISDN + 2 VoIP, or up to 4 VoIP)
- Internal forwarding of external calls to other handsets
- Conference calls between 3 people

Keypad

- Programmable softkey
- 5 programmable function keys
- 5-way navigation key
- Mute function with extra Mute key

DX800A all-in-one

Special functions

- 1 analogue fax port (T.30 up to 14.4Khz)
- Calendar with month view, management of appointments and birthdays
- Info centre with online content: weather reports, news, Internet radio and more
- E-mail notification
- XML Browser
- Installation and configuration wizards
- VoIP configuration wizard: downloadable VoIP profiles
- Send and receive text messages⁴ (dependant on provider) of up to 640 characters
- Memory for a maximum of 63 text messages of 160 characters
- PC connection via Ethernet and Gigaset QuickSync software
- Direct connection with PC possible via Ethernet
- Support for 2 parallel Bluetooth® connections
- Link2Mobile via Bluetooth® for incoming and outgoing calls
- WEB interface for simple configuration and installation

Answering machine

- Three answering machines with a combined 55 minutes of recording time
- Messages can be listened to using desktop telephone and handsets
- Easy to use due to 3 separate answering machine keys and large colour display
- Predefined notification texts (plug & play)
- 3 notification options and
- 3 message options (170 sec.)
- Can be recorded/answered by user
- Timer control between predefined and individual notification texts
- Spoken time and date notice

ECO

- Up to 60% decrease in energy usage with the energy saving feed⁵
- ECO mode gives an 80% decrease in DECT signal⁶
- ECO mode Plus gives a 100% reduction in DECT signal from base station and all connected handsets⁷
- Variable reduction of signal depending on the distance between handset and base station

Technical specifications

- Integrated DECT Base station
- 1 fixed line-port for external connections to PSTN or ISDN (2 B-channels)
- Fax connection
- 2 Ethernet ports
- A maximum of 6 handsets can be connected
- Measurements of desktop telephone:
 108 mm (H) x 263 mm (B) x 168 mm (L)
- DX800A (base station without receiver) 631 g
- Receiver (with integrated weight) 147 g

IP functions

- Up to 4 VoIP calls simultaneously
- Block-calling and (simulated) "step-by-step dialling" for all calls
- Multiline up to 6 SIP accounts:
 - Configure up to 6 SIP accounts from different providers
 - Assign telephone numbers to individual handsets (sending & receiving in a specific direction)
- VoIP support (embedded SIP VoIP, G711, G722, G726 and G729AB)
- Quality of Service*: ToS, Diffserv (dependant on country, network and provider)
- Use of router via LAN connection
- VoIP supplementary services (controlled unit):
 - Conferencing, hold setting / exchanging, forwarding of calls
- Auto provisioning via MAC address (TR069) or code for auto configuration including SIP username and password (upon request)

Simple selection of provider profiles through GS

- System configuration via WEB Server
- Provider profile configuration via WEB Server
- Gigaset.net VoIP service:
 - Free calls between Gigaset-VoIP-telephones
 - Zero Configuration
- Gigaset.net directory
- Future-proof SW architecture
- Linux-based operating system
- Large 32 Mbyte Flash Memory with automatic update option
- Possibility to update software in the future for new applications such as open source
- Multiline system (analogue / ISDN + VoIP * 1a) * 1b)) allows:
 - Line selection for every call via the function key on the telephone desktop or on a handset via the menu selection (alternatively: standard line-type)
- Fixed network administrator functions
- Supplementary services supported (provider functions)
 - Via programmable key and menu (e.g. automatic call-back, call forwarding)
 - By using the R-key, *-key and #-key
- Configurable key that can be designated as "Call by Call" key with specific provider telephone numbers in production



DX800A packaging contains:

- 1 DX800A
- 1 Network adapter
- 1 telephone cable, 1 Ethernet cable
- 1 Quick Start Guide
- 1 CD-ROM with PC SW Gigaset QuickSync and full manual

Handset compatibility

Full: SL78H, SL400H, S79H, C59H

Key function: E49H, SL37H

Other handsets with, at least, minimal GAP-norm

- 1. Flexible configuration of the following combinations of telephone connections: PSTN and IP, ISDN and IP 2.3 VoIP and 1 land line, 2 VoIP and 2 ISDN lines or 4 VoIP lines
- 3. Compatible with Microsoft Outlook 2002 and later versions 4. Dependant on country/network/provider
- 5. In comparison with conventional Gigaset base stations
- 6. For all connected handsets in comparison with when ECO mode is not activated and with conventional Gigaset base stations
- 7. When the handset is placed in the resting position and all connected handsets support the ECO mode Plus

Handsets



SL78H

Stylish design

- Real metal frame and illuminated metal keys
- Large TFT colour display and modern user interface
- Download and synchronise via Bluetooth® or mini-USB
- Telephone book for a maximum of 500 vCard entries
- Call/standby time of up to 15 hours/200 hours respectively
- Call hands-free with Bluetooth® headset or speaker



S79H

Professional sound

- Excellent hands-free functionality
- Maximum of 500 vCard entries and list of 20 most recent missed calls
- Large TFT colour display and modern user interface
- High quality keys with galvanised protective coating
- Standard headset exit (2.5 mm)
- Calendar and appointment screen with alarm function



SL400H

The essence of perfection

- Real metal frame and illuminated metal keys
- Handy connection with Bluetooth® headset
- Telephone book for a maximum of 500 vCards, synchronisation via Bluetooth® or mini-USB
- Call/standby time of up to 14 hours/200 hours respectively
- 4 hands-free settings with perfect sound
- Vibrate function



E49H

The telephone for inside and outside

- Shock-proof, water resistant and dust-proof
- Hands-free calls with perfect sound quality
- Vibrate function, headset connection and illuminated colour display
- 250 hour maximum standby time
- 12 hour maximum call
- Telephone book with up to 150 entries



C59H

Versatile and easy to use

- Large TFT colour display and illuminated keys
- Modern user interface with large letters
- Birthday reminder, alarm and baby monitor
- Call/standby time of up to 12 hours/185 hours respectively
- Excellent sound quality due to HSP
- Allocation of individual ringtones
- Available in black and white

It's your best choice.

Gigaset's new professional line provides businesses with tailor-made, communication-enhancing phone systems. Discover more! Contact your Gigaset representative or visit gigaset.com/pro.

The DECT IP multicell system for seamless mobile communication in SMB.

Gigaset N720 DECT IP Multicell System: N720 IP PRO and N720 DM PRO

The Gigaset N720 DECT IP Multicell System consists of two elements – the N720 IP PRO, a base station, and the N720 DM PRO, the DECT Manager. Up to 20 base stations and 100 handsets can be connected to the DECT Manager and enable true wireless mobility in on-site communication with seamless handover and roaming. Productivity is leveraged by corporate and online directory access and email notification. The N720 DECT IP Multicell System supports the latest generation of Gigaset DECT handsets. Thus, users benefit from mobility in communication with wideband sound quality. The N720 system seamlessly integrates in the corporate IP network as a backbone. Connection to the T500 PRO and T300 PRO, two IP PBXs of the Gigaset pro range, provides zero touch provisioning and best interoperability. The N720 SPK PRO (Site Planning Kit) is recommended for planning of large deployments.











DEFINITION NOTIFICATION

Feature highlights:

- Up to 100 users / SIP accounts / handsets
- Up to 20 base stations
- Up to 30 parallel calls
- 8 simultaneous calls per base (4 in G.722 HDSP™ mode)
- Seamless handover and roaming
- Exceptional HD sound with HDSP™ 1,2
- Local network directory and public online directories (white and yellow pages) 1
- Email reader
- Professional zero-touch auto-provisioning setup
- Power over Ethernet

DECT technology.

DECT technology is interference free, secure and provides benefits in terms of range, standby time and speech quality.

Scalable and future-proof.

The N720 DECT IP Multicell System is expandable to up to 100 handsets and 20 base stations. A broad range of Gigaset handsets is available for different business requirements. Interoperability is guaranteed for future Gigaset handset generations.

Connectivity.

The N720 DECT IP Multicell System is perfect to use with Gigaset T500 PRO and T300 PRO IP PBX. The DECT Multicell System is also compatible to other IP PBX and can be linked to IP Centrex providers.

Easy setup and configuration.

Administrators benefit from zero touch provisioning with Gigaset T500 PRO / T300 PRO. The intuitive webbased interface, XML based configuration files, provider profiles and support of standard protocols make configuration extremely easy and fast.

Business productivity.

With direct access to corporate and public online directories, managing contacts is easy - even while on the move. User can access online information and can receive text messages by Email reader.

Professional HD sound.

Exceptional HDSP™ 1, 2 sound on the N720 IP PRO adds business efficiency: superb and clear wideband audio technology makes calls sound like face-to-face meetings.

Broad range of Gigaset handsets

Select from a broad range of compatible Gigaset handsets tailored to your business needs - from elegant to ruggedized. High quality and thorough testing ensure endurance for everyday use.

Users benefit from a visually attractive user interface of the new generation of Gigaset handsets, brilliant sound and innovative features.



N720 IP PRO and N720 DM PRO

Technical data:

Phonebook and dialling

- Link to external phonebooks (PBX, Soft PBX, external server in LAN or Web) via LDAP or XML interface (e.g. Klicktel Online directory)
- Search and reverse search function (number -> contact) and reverse lookup online (display of caller id from online directory)
- Private network address book (user specific): search, edit, delete entries
- Vcard support
- Name indication for incoming calls, outgoing calls, missed call list, redial list
- Barring of calls (black list)
- DTMF (SIP Info / RFC2833, inband)
- Multinational call progress tones (provisionable)
- CLIP, CNIP: Name indication for incoming calls, outgoing calls, missed call list, redial list
- Name replacement from local phonebook and online directories (auto lookup)
- List of up to 50 calls (missed, received, dialled)
- SIP MWI (Message Waiting Indicator) signalling for voice mail

Special features


- Computer Telephony Integration (CTI) via standard SIP procedure as used in IP PBX Gigaset T500 PRO / T300 PRO
- Broadsoft: Click to dial, Click to answer
- Email reader (POP3, POP3S)
 - up to 560 characters
 - up to 100 accounts (1 for each user)
- Interactive Info Center (also customer specific)

Hardware

- Wall- or ceiling mountable
- Antenna diversity
- 4 Status LEDs
- Reset key
- Ethernet RJ45 10/100 Mbps
- Power over Ethernet
 - N720 DM PRO: PoE IEEE 802.3af < 3,8W (Class 1)
 - N720 IP PRO: PoE IEEE 802.3af < 6,4W (Class 2)
- Power saving switch mode power supply (EU or UK)⁴
- Colour: polar white SF9063
- Dimension: 190mm (H) x 110mm (W) x 42mm (D)
- Two-year warranty

Connectivity

Flexible and scalable connectivity options with the N720 IP PRO and N720 DM PRO.



Software

- Retrieval of Provisioning-URL via SIP Multicast or DHCP-Option
- Easy configuration via web browser
- Provider and PBX setting profiles
- Administrator friendly configuration via configuration file
- User specific Auto-provisioning
 - via MAC address
 - · via Auto-configuration code
- Firmware upgrade / downgrade
- Event log

N720 IP PRO and N720 DM PRO

Technical specifications

- Frequency 1.88 GHz to 1.90 GHz (EMEA)
- DECT EN 300 175-x
- Standards: GAP / PN-CAP/ CAT-iq 1.0
- DECT radio coverage up to 50 m (indoor) and 300 m (outdoor)
- Support of 120 DECT channels
- DECT latest security standard
- TLS for HTTPS and POP3S
- SIP (RFC3261, RFC2396, RFC2976)
- HTTP/Digest Authentication (RFC2617)
- Locating SIP Server (RFC3263)
- Call Transfer (RFC5589, RFC3515, RFC3891, RFC3892)
- MWI (RFC3265, RFC3842)
- SDP (RFC4566, RFC3264,RFC3555)
- RTP (RFC3550, RFC3551, RFC3555, RFC2833)
- Gigaset XHTML Profile 2.2
- XML-based Gigaset Online-Directory-Protocol, IPv4, SNTP, STUN, DHCP (Option 60, 114, 120), DNS, TCP, UDP, VLAN (IEEE 802.1q)
- 8 simultaneous calls per base (G.726, G.711, G.729ab codec), up to 4 calls with wideband audio (G.722)
- Codecs G.711, G.722, G.726, G.729ab (10 channels)
- VAD/CNG (for G.729ab)
- QoS (RFC2474, RFC2475)
- Approvals: CE

Classic PBX features³

- Network AM
- Call transfer: attended, unattended, via R-key
- Call waiting
- Call hold/toggle/resume
- Call reject
- CLIR
- Call forwarding: CFU, CFNR, CFB
- Call barring
- Auto-provisioning with IP PBX Gigaset T300 PRO and T500 PRO
- Net directories via LDAP and XML

Packaging

- Dimension: 248mm (L) x 186mm (D) x 64mm (H)
- Overall weight approx.: 363g

Environmental conditions

- Protection class IP20 (indoor)
- Operating temp: +5 to +45°C
- Storage temp: -20 to +70°C
- Relative Humidity: 20%-75% non condensating

Gigaset pro system components

Gigaset N720 DECT IP Multicell System

Gigaset N720 DM PRO

- The DECT manager is required once in every installation as the core administration and management device. It is the interface to the PBX or the SIP provider.
- Order Nr. S30852-H2315-R101

Gigaset N720 IP PRO

- Up to 20 N720 IP PRO DECT base stations can be connected to the DECT manager.
- Order Nr. S30852-H2314-R101

Gigaset N720 SPK PRO

- This Site Planning Kit is recommended for the multicell site analysis and planning. The kit contains two calibrated handsets (Gigaset S810H) and one Gigaset N720 SPK PRO base station.
- Measurement of RSSI values
- Order Nr. S30852-H2316-R101

Power supplies

- Optional, if no PoE/PoE injector available
- EU: Order Nr. C39280-Z4-C706
- UK: Order Nr. C39280-Z4-C745

Gigaset T300 PRO and T500 PRO

Best interoperability is ensured when connected to the Gigaset T 500 PRO / T300 PRO PBX.

Powerful, easy-to-administrate PBX communication systems for small to medium businesses, with capabilities exceeding those of conventional telephone systems. Its comprehensive range of calling options – internet, fixed-line, ISDN– and complete feature set establish an all-encompassing professional communication network with ultimate reliability. CTI-enabled data transfer, simple web administration, an extensive voicemail system, and more complete this all-around flexible and secure SMB phone system 'Made in Germany'.

- Gigaset T 500 PRO supports up to 100 registered users and up to 30 parallel calls
- Gigaset T 300 PRO enables up to 15 registered users and up to 15 parallel calls



Handset compatibility



Gigaset SL610H PRO -"Sophisticated DECT handset for professional use"

- Brilliant, 1.8" TFT colour display with 8 lines
- Intuitive, icon-based user interface
- Headset connection via Bluetooth® or 2.5 mm jack
- Convenient data exchange via Bluetooth® or mini-USB
- Address book for up to 500 vCards
- Vibrating alert
- Time-specific, 'do not disturb' function for external, non-VIP calls
- Hands-free talking with brilliant sound quality
- 4 hands-free profiles for personal voice quality experience
- Organiser with calendar and reminder functions
- Ergonomic keypad with adjustable illumination and keypad protection



Gigaset SL400H -

"The slimmest designer handset with highest technology"

- Luxurious materials genuine metal frame and illuminated metal keypad
- Generous colour display with intuitive user interface
- Convenient Bluetooth® headset connection
- Address book for up to 500 vCards, synchronisation via Bluetooth® or mini-USB
- Intuitive user interface with jumbo font and expert mode
- Brilliant sound quality: 4 handsfree settings for personal voice quality experience
- Customize with personal caller display pictures, screensaver picture show and ringer melodies
- Vibracall



Gigaset S810H -"Skilled communication"

- Best-in-class hands-free talking
- Headset connection via Bluetooth® or 2.5 mm jack
- Address book for up to 500 vCard
- Large 1.8"TFT colour display with modern user interfaceh
- Side key for simple volume control
- High-quality keypad
- Call list of last 20 dialled numbers
- Speed-dialling with 9 shortcut keys
- Calendar and event schedule with alarm function

www.gigaset.com/pro

- 1 Dependent on country / network/ operator / PBX
- 2 With Gigaset HDSP capable handsets: e.g. S810H, SL610H PRO, SL400H 3 When used with a Gigaset PBX system
- Available as accessory
- 5 For further handsets see compatibility list in www.gigaset.com/pro



Gigaset E49H -"Purely solid"

- High resistance to shocks, water splashes and dust (IP54)
- Advanced hands-free talking with great sound quality
- Vibrating alert
- Headset connection 2.5 mm
- Illuminated 1.65" colour display
- Phonebook for up to 150 entries

It's your best choice.

Gigaset's new professional line provides businesses with tailor-made, communication-enhancing phone systems. Discover more! Contact your Gigaset representative or visit gigaset.com/pro.

A510IP

Benefits of VoIP with PC off convenience

Key Features & Benefits:

- Dual Mode: easy switch from internet calls to fixedline calls
- Multiline functionality (for up to 6 handsets and 6
 SIP Accounts)
- Up to 3 calls in parallel (2 via IP 1 via Fixed line) with multiple handsets
- Choice of four screen colours

Other Features:

- Expandable up to 6 handsets
- HSDP™ Ready Handset
- SMS with up to 612 characters^
- 10 Number redial, 25 Name & Number missed calls list
- 20 ringtones (16 Polyphonic, 4 standard melodies)
- Modern handset design and stand alone base station
- Date, Time & Alarm
- Illuminated 4 colour display (Blue, Red, Amber, Green).
- Internal transfer of external calls to another handset with prior consultation call
- Eco Mode Plus up to 100% reduction of transmission power
- VIP Caller Groups with unique ringtone and screen colour



Technical Data:

Range* : 50m Indoor

300m Outdoor

Frequency Bands : DECT 1881–1897 MHz Number of Lines : 2 line (IP and PSTN)

Power Source

Base Unit : AC Adaptor Handset : AAA Ni-MH

rechargeable batteries

Dimensions (W X D H)

Base Unit : 132 x 105 x 46mm Handset : 154 x 50 x 28mm

Weight

Base Unit : 120g
Handset : 116g
Charge & Talk Time (Handset)

Talk Time : 23 hours
Standby Time : 290 Hours
Charge Time : <7 hours

* May vary due to house/office conditions

Models Available:

GIGAA580IP A580IP VoIP hybrid Phone

Accessories:

GIGAA510H A510H DECT Additional handset
GIGARBA V30145-K1310-X284 AAA NiMH Battery

www.gigaset.com.au





[^] SMS function dependant upon service provider

Gigaset R630H PRO

The professional, robust DECT handset, optimized for tough situations.

The R630 is the ideal handset behind single and multicell systems of Gigaset pro in business environments. It supports your conversation in and around the office, because of its roaming and handover capabilities in multicell environments. Special and unique in its kind is IP65 protection class. This makes it the perfect companion in dusty and foggy environments. Furthermore, its shock resistant housing makes it the ideal tool for all day for all day business use.





































Feature highlights:

- Next generation user interface on 1,8"TFT illuminated display
- Side keys for volume adjustment during a call
- Up to 14 hours of talk time. It supports your activities during the day, without re-charging
- Visual call signaling over pocket torch LED
- Easy as Gigaset. Unpack, connect and conduct a call
- Profiles for indoor, outdoor and personal use
- Excellent audio quality (HDSP)³
- Full compatibility Gigaset N510 Single and N720 DECT IP Multicell systems
- PBX Manager menu with Gigaset PBX T300/T500 PRO
- Modern design with convenient size and proportions
- Searchable local phonebook with up to 200 vCards and corporate phonebook via PBX (XML, LDAP)
- Email Reader and Infoservices
- Comfortable dial and text editors
- Alarm clock with snooze function
- Clock synchronization using CLIP information
- Support of Net provider features via menu
- Wall mountable charger

Dust- and waterresistant according to IP65, shock resistant

The new standard for the Gigaset R630 sets expectations. The IP65 ensures the product to be dust tight: No ingress of dust! And protects against water jets: Water projected from a nozzle against the enclosure from any direction shall have no harmful effect.

Multicell with roaming and handover

All features from the Gigaset pro N720 multicell and N510 single cell environments are supported in the R630. Moving in and around the office while calling with a robust phone is like any other professional phone from Gigaset. While on the move in the office, it's easy to manage your personal call preferences of the Gigaset pro PBX, just on the display of the R630 by using the PBX manager.

Rubber surface to ensure the perfect grip

The surface ensures a solid grip without the chance that it slips through the hand or away from the ear. The ruggedized handset is thicker, indestructible, illuminated and washable. The rubberized keys, with gentle click, make sure all keys are just clicked right. Even with thicker finger sizes or with certain gloves.



Gigaset R630H PRO

The professional, robust DECT handset, optimized for tough situations.

Technical overview

Display and interface

- Illuminated 1.8" graphical color display. With TFT-technology supporting 128x160 pixels, 6 lines, 65k colors
- Easy to use designed user interface with 2 color schemes

Standby in Screensaver mode

Screensaver mode has different options to show:

- Digital or analogue clock
- Infoscreensaver³
- Embedded pictures

Standby in Idle mode

In Idle mode, the display shows user information:

- Date and time
- State of battery life in different colors
- Handset name
- Signal strength or ECO-mode
- Display of number of new calls and messages
- Soft keys for quick selection of functions, programmable

Calling mode

• Display of call duration

Handset Menu

- Convenient menu for easy use, available in 24 languages
- Simple operation via colored icons, text based menu and soft keys
- Behind a Gigaset pro telephone exchange, the PBX Manager menu will be available, supporting amongst others:
 - Hot Desking (PIN-IN)
 - Call Lists
 - Do Not Disturb
 - Display Number
 - Groups Management
 - Redirection
 - Visual Voicemail
 - Central Phonebook

Phonebook and dialing

- Phone book with 200 vCards. Supporting given name, family name, 3 numbers (home, office, mobile)
- Assignment as VIP with ringtone
- Jumbo Mode: Featuring bigger dialing font (dialing preparation and incoming call)
- PBX phone book search (XML and LDAP)¹,
- Public online phonebook search and autolookup²
- Redialing of the 20 last different numbers
- User-programmable speed-dial shortcuts using keys 2-9, 0
- Dialing in DTMF, Pulse or Flash mode

Sound quality

- HD Audio with HDSP™ ³
- Hands free talking with brilliant sound quality activated by handsfree key
- Side key for easy volume control of handset sound
- 30 selectable ringtones with 5 loudness levels + crescendo
- Selectable audio profile
- Headset connection (mono) via 2,5mm jack

Keypad

- Ergonomic, illuminated keypad in high quality rubber material
- Dedicated message key (red LED)
- Keypad protection on/off via # key
- Side key for easy volume control
- Separate "Audio profile"-key for simple change between indoor and outdoor:
 - loud surrounding
 - quiet surrounding
 - personal settings

Receiving Calls

- Caller indication displayed via CLIP and CNIP¹
- Display and Spot LED lighted
- Vibracall
- Ringer animation in display
- 30 selectable ringtones
- Ringtone for VIP entries selectable



Gigaset R630H PRO

Call lists

- Comfortable access to missed calls list by dedicated, message key
- 3 separate calls lists (missed / incoming / outgoing) with 20 entries each saving calls with caller indication (CLIP / CNIP base station required) and time²

Messaging functions

- E-Mail reader
- Infoservices

Connectivity Diagram



^{*} may cause limited functionality

Technical data

DECT Range

- Indoor range up to 50 meters
- Outdoor range up to 300 meters

Operation time

- Talk time up to 14 hours
- Standby time up to 300 hours

Green office

• Up to 60% less energy consumption⁴ thanks to the energy saving power supply

Dimensions (H x W x D) and weight

- Handset: 154 x 52 x 30 mm
- Charger: 75 x 74 x 39 mm
- Weight: 139 g (incl. Batteries)

Packaging content

- Handset
- Locking Disc
- Belt clip
- Rubber cap
- Battery cover
- 2 x NiMH AAA batteries
- Charger
- Power supply for charger
- Security leaflet

Footnote

- 1 When used with a Gigaset PBX T300/T500 PRO (SW 5.1 or later)
- 2 Depending on country, provider or PBX
- 3 Only with supporting Gigaset IP base stations
- 4 In comparison with conventional power supplies



Gigaset R630H PRO

It's your best choice.

Gigaset's new professional line provides businesses with tailor-made, communication-enhancing phone systems. Discover more! Contact your Gigaset representative or visit gigasetpro.com

Issued by Gigaset Communications UK Ltd. All rights reserved. Subject to changes in technology, design and availability. The product names mentioned in this document are trademarks or registered trademarks of their respective owners. PRO.DS.R630/UK/07.13